

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	161775	key with (exchang\$5 or transfer\$5 or establish\$5 or transmis\$5 or assign\$5 or transmit\$5 or receiv\$5 or receipt or designat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/21 07:08
L2	21066	(secret or private) with key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/21 06:57
L3	21901	group with key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/21 06:57
L4	3273140	ID or identifier or tag\$5 or mark\$5 or designat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/21 07:24
L5	57364	(file or table or list or spreadsheet or database) with key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/21 07:03
L6	46124	(new or next) with key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/21 07:03
L7	11314	L1 same L2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/21 07:04
L8	5902	L1 same L3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/21 07:04
L9	725	L4 with L5 with L6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/21 07:24
L10	366	L1 same L9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/21 07:25

L11	3	L10 and L7 and L8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/21 07:25
L12	59562	key.ab. with (exchang\$5.ab. or transfer\$5.ab. or establish\$5.ab. or transmis\$5.ab. or assign\$5.ab. or transmit\$5.ab. or receiv\$5.ab. or reciept.ab. or designat\$5.ab.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/21 07:09
L13	13	L9 and L12 and L2 and L3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/21 07:26
L14	36	("5369705").URPN.	USPAT	OR	ON	2005/01/21 07:18
L15	3430824	ID or identifier or tag\$5 or mark\$5 or designat\$5 or seed\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/21 07:43
L16	739	L15 with L5 with L6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/21 07:24
L17	368	L1 same L16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/21 07:25
L18	3	L17 and L7 and L8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/21 07:25
L19	14	L16 and L12 and L2 and L3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/21 07:26
L20	10322	L15 with L5 with key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/21 07:44
L21	242	(L1 same L20) and L2 and L3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/21 07:45

L22	358787	key\$5.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/21 07:46
L23	134	L22 and L21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/21 08:10
L24	81328	key.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/21 08:11
L25	23086	L24 and L1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/21 08:11
L26	2	L25 and L16 and L2 and L3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/21 08:12
L27	19	L25 and L16 and L2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/21 08:19
L28	1828	(private with public with key) same (list or table or database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/21 08:20
L29	331	L28 and L12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/21 08:20
L30	143	L29 and @ad<"20000815"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/21 10:23
L31	1	("6125185").URPN.	USPAT	OR	ON	2005/01/21 08:37
L32	10360	(hid\$5 or conceal\$5 or obfuscat\$5) with (ID or identity or identification or address or source)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/21 10:22

L33	107	L32 and L1 and L2 and (L5 with L15)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/21 10:17
L34	9	L24 AND I33	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/21 10:17
L35	701	(hide with identi\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/21 10:23
L36	145	L35 and L1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/21 10:23
L37	67	L36 and @ad<"20000815"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/21 11:35
L38	2	public with private with key with proxy with (table or list or file or spreadsheet or database) with L15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/21 11:32
L39	8	"6026167"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/21 11:30
L40	906	Aziz.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/21 11:30
L41	29	Aziz-A.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/21 11:30
L42	5	private with key with proxy with (table or list or file or spreadsheet or database) with L15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/21 11:33

L43	878	L1 and (private with key) and proxy and((table or list or file or spreadsheet or database) with L15)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/21 11:34
L44	358787	key\$5.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/21 11:35
L45	114	L43 and L44	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/21 11:35
L46	35	L45 and @ad<"20000815"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/21 11:35
S1	4	((("6026167") or ("6151394"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/21 06:55
S2	194492	key\$5 with (exchang\$5 or tranfer\$5 or send\$5 or receipt\$5 or receiv\$5 or transmit\$5 or trad\$5 or transmis\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 15:02
S3	166856	key\$5 with ("pre-shared" or recogniz\$5 or known or establish\$5 or previous\$5 or first or prior)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 15:17
S4	22716	key\$5 with (secret\$5 or privat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 13:16
S5	25207	(identit\$5 or address\$5 or identif\$5 or ID or name or number or account\$5) with (cloak\$5 or hid\$5 or shiedl\$5 or obfuscat\$5 or conceal\$5 or disguis\$5 or (prevent\$5 with disclos\$5) or "cover-up" or coverup or secreted)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 13:42
S6	13023	(network\$5 or Internet) with S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 13:19

S7	22167	encrypt\$5 with (identit\$5 or address\$5 or identif\$5 or ID or name or number or account\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 13:21
S8	3590	decrypt\$5 with key\$5 with (group\$5 or set\$5 or company\$5 or unit\$5 or collection)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 13:23
S9	12107	S3 with (tabl\$5 or list\$5 or spreadsheet\$5 or databas\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 13:50
S10	34	S2 and S3 and S4 and S5 and S6 and S7 and S8 and S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 13:41
S11	39	("5406628").URPN.	USPAT	OR	ON	2005/01/19 13:30
S12	3	("6292896").URPN.	USPAT	OR	ON	2005/01/19 13:35
S13	8021	key\$5.ab. and exchang\$5.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 13:40
S14	5	S13 and (S10 or S11 or S12)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 13:35
S15	501	S2 and S3 and S4 and S13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 13:41
S16	18	S15 and S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 13:42
S17	3	("6225888").URPN.	USPAT	OR	ON	2005/01/19 13:46
S18	7	("6061789").URPN.	USPAT	OR	ON	2005/01/19 13:47
S19	4	("6161129").URPN.	USPAT	OR	ON	2005/01/19 13:50
S20	143	S9 and S13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 13:55

S21	16	S8 and S20	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 13:51
S22	4	("6026167").URPN.	USPAT	OR	ON	2005/01/19 14:15
S23	8	("6195751").URPN.	USPAT	OR	ON	2005/01/19 14:18
S24	31	multicast and S13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 14:19
S25	32	multicast\$5 and S13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 14:19
S26	2	("6215878").URPN.	USPAT	OR	ON	2005/01/19 14:26
S27	10	((group\$5 with key\$5) or multicast) and (key with (list\$5 or table)) and S2 and S13 and eavesdrop\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 14:28
S28	7	("5987131").URPN.	USPAT	OR	ON	2005/01/19 15:01
S29	329	table with secret with key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 15:01
S30	268	S29 and S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 15:02
S31	132	S30 and @ad<"20000815"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 15:14
S32	13	("5633930").URPN.	USPAT	OR	ON	2005/01/19 15:08
S33	2	("6157722").URPN.	USPAT	OR	ON	2005/01/19 15:13
S34	30454	table with key\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 15:19

S35	0	S34 and S13 and S10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 15:14
S36	300	S34 and S13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 15:14
S37	234	S36 and @ad<"20000815"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 15:14
S38	11	S37 and eavesdrop\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 15:16
S39	86	S37 and S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 15:16
S40	45	(table with key\$4) and (secret with key) and (encrypt\$5 with identity) and (group with secret)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 15:20